

# GUARDFOAM<sup>®</sup> 27

---

## OPEN CELL SPRAY INSULATION

---

### Product Tips:

- When applying GuardFoam<sup>®</sup> 27 OC use the longer 3 ½ inch CONE spray tips.
  - Move slowly for best control. Filling the cavity in one pass or lift is preferred.
  - Open Cell can be applied up to 6 inch's per lift.
- Second passes if necessary should be applied after 10 minutes of cure time.
- In full cavity applications, excess foam can be trimmed 5 - 10 minutes after application.
- When installed in an attic or crawl space, an approved ignition barrier may be required, and is recommended by Guardian in any case.
- Make sure foam tanks are 90° F - 95° F when you begin application.

