

Manufacturer:



GUARDIAN
BUILDING PRODUCTS
FIBERGLASS INSULATION

1000 East North Street
Albion, MI 49224



OPEN ATTIC INSULATION CERTIFICATE

ATTIC GUARD® OPEN ATTIC COVERAGE INFORMATION					
R-VALUE*	BAGS PER 1000 SQ. FT.	MAXIMUM NET COVERAGE	MINIMUM WEIGHT PER SQ. FT.	INITIAL INSTALLED THICKNESS	MINIMUM SETTLED THICKNESS
R-60	40.00	25 SF	1.105 LBS	21.50"	21.50"
R-49	31.25	32 SF	0.865 LBS	18.00"	18.00"
R-44	27.77	36 SF	0.771 LBS	16.25"	16.25"
R-38	23.25	43 SF	0.659 LBS	14.25"	14.25"
R-30	17.85	56 SF	0.504 LBS	11.50"	11.50"
R-26	15.62	64 SF	0.436 LBS	10.25"	10.25"
R-22	12.98	77 SF	0.362 LBS	9.00"	9.00"
R-19	10.98	91 SF	0.307 LBS	8.00"	8.00"
R-13	7.57	132 SF	0.213 LBS	5.50"	5.50"
R-11	6.49	154 SF	0.181 LBS	4.75"	4.75"

*R means resistance to heat flow. The higher the R-value, the greater the insulating power. Ask your seller for the fact sheet on R-values.

Bag Weight: nominal 28 LBS., minimum 26 LBS. For pneumatic application only. Not for exposed applications. Insulation should not be installed over eave vents. Thermal resistance values are determined in accordance with ASTM C 687 and ASTM C 518. This product meets or exceeds the requirements of ASTM C 764 Type 1.

	Type (Check appropriate box)					R-value	Thickness	No. Pkgs.	Coverage Area
	Kraft	Unfaced	Foil	FS-25	Loose-Fill				
Ceilings	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____	_____	_____
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____	_____	_____
Floors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____	_____	_____
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____	_____	_____
Walls	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____	_____	_____
	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	_____	_____	_____	_____

Builder's and Applicator's Certification Signature

This is to certify the insulation as installed conforms to the requirements indicated on this card to provide thermal resistance value of R _____ using _____ bags of insulation to cover _____ square feet area.

Depth of previous insulation _____, R _____. Type of insulation: _____ Upgrade New Construction
Inches R-value Mineral Wool, Fiberglass, Etc.

 Date Company Name (Builder) Address Phone Builder's Signature

 Date Company Name (Applicator) Address Phone Applicator's Signature

